

Company : Sol Infotech Pvt. Ltd. Website : www.courtkutchehry.com

MANGOES (GRADING AND MARKING) RULES, 1981

CONTENTS

- 1. Short title, application and commencement
- 2. Definitions
- 3. Grade designations
- 4. Definition of quality
- 5. Grade designation mark
- 6. Method of marking
- 7. Method of packing
- 8. Special conditions of certificate of authorisation
- 9. Repeal and saving

SCHEDULE 1:- <u>SCHEDULE I</u>

SCHEDULE 2 :- SCHEDULE II

SCHEDULE 3:- SCHEDULE III

SCHEDULE 4:- SCHEDULE IV

SCHEDULE 5 :- SCHEDULE V

SCHEDULE 6 :- SCHEDULE VI

SCHEDULE 7:- SCHEDULE VII

SCHEDULE 8 :- SCHEDULE VIII

SCHEDULE 9:- SCHEDULE IX

SCHEDULE 10:- SCHEDULE X

SCHEDULE 11:- SCHEDULE XI

SCHEDULE 12 :- SCHEDULE XII

SCHEDULE 13 :- SCHEDULE XIII

SCHEDULE 14:- SCHEDULE XIV

MANGOES (GRADING AND MARKING) RULES, 1981

In exercise of the powers conferred by Section 3 of the said Act, the Central Government hereby makes the following rules, namely:

1. Short title, application and commencement :-

- (1) These rules may be called the Mangoes (Grading and Marking) Rules, 1981.
- (2) They shall apply to Mangoes produced in India.
- (3) They shall come into force on the date of their publication in the Official Gazette.

2. Definitions :-

In these rules, unless the context otherwise requires,-

- (a) "Agricultural Marketing Adviser" means the Agricultural Marketing Adviser to the Government of India;
- (b) "Schedule" means a schedule appended to these rules ;
- (c) "Authorised packer" means a person or a body of persons who has been granted a certificate of authorisation by the Agricultural Marketing Adviser, for getting the commodity graded and Agmarked in accordance with grade standards and procedure prescribed under the rules;
- (d) "Certificate" means certificate of authorisation ;
- (e) "Shoulder" means the part of the fruit around the neck.

3. Grade designations :-

The grade designation to indicate the quality of the Mangoes shall be as set out in column 1 of Schedules II to XIV.

4. Definition of quality :-

The quality indicated by the grade designations shall be as set out against each grade designations in columns 2 and 3 of Schedules II to XIV.

5. Grade designation mark :-

The grade designation mark shall consist of a label specking the grade designation and bearing a design (consisting of outline map of India with the word "AGMARK" and figure of the rising sun with the words "Produce of India" and resembling the mark as set out in Schedule I.

6. Method of marking :-

- (1) The grade designation mark shall be securely affixed to each case/package in a manner approved by the Agricultural Marketing Adviser.
- (2) In addition to the grade designation, the following particulars shall also be clearly marked on the label;
- (i) Name of the variety;
- (ii) Number of fruits;
- (iii) Net weight;
- (iv) Name of the packing station;
- (v) Date of packing, and
- (vi) Any other particulars as may be specified by the Agricultural Marketing Adviser from time to time.
- (3) The authorised packer may, after obtaining the prior approval of the Agricultural Marketing Adviser, mark his private trade mark on a container in a manner approved by the said officer, provided that the private trade mark does not represent a quality or grade of mangoes different from that indicated by the grade designation mark affixed to the container in accordance with these rules.

7. Method of packing :-

- (1) Mangoes shall be packed in wooden crate or baskets or any other type of container and in such manner as may be specified from time to time by the Agricultural Marketing Adviser;
- (2) Packing material shall be clean and dry, free from fungus and insect attack and obnoxious smell;
- (3) Each package shall contain Mangoes, of the same variety and of the same grade designation, and the top layer shall be representative of the entire contents of the package in respect of size, maturity, colour, shape and freedom from visible defects;
- (4) Each package shall be securely closed and sealed in the manner prescribed by the Agricultural Marketing Adviser.

8. Special conditions of certificate of authorisation :-

In addition to the conditions specified in the rule 4 of the General Grading and Marking Rules, 1937, the following special conditions shall be observed by the packers to the satisfaction of the Agricultural Marketing Adviser, namely :-

- (1) An authorised packer shall make such arrangements for testing Mangoes as the Agricultural Marketing Adviser may specify by general on special order from time to time.
- (2) An authorised packer shall provide such facilities to the inspecting officers duly authorised by the Agricultural Marketing Adviser in this behalf as may be necessary for them to discharge their duties under these rules.

9. Repeal and saving :-

- (1) The following rules are hereby replaced:
- (i) Alphonso Mangoes (Export) (Grading and Marking) Rules, 1938.
- (ii) Alphonso Mangoes, (Home Consumption) (Grading and Marking) Rules, 1939.
- (iii) Kanchan (Bathua) Mangoes (Home Consumption) (Grading and Marking) Rules, 1955.
- (2) Such repeal shall not affect anything duly done or suffered under the repealed rules.

SCHEDULE 1
SCHEDULE I

(See rule 5) Grade designation mark

SCHEDULE 2
SCHEDULE II

due to diseases \\\\\\\ or insects or injury affecting the keeping \\\\\\ quality of the fruits; \\\\\\\2. Windfalls and shribe \\\\\\\ packed. \\\\\\\3. = Blemishes not affecting the keeping \\\\\\\ quality shall be permitted, provided no single larger than 1.6 sq. cm. in area. \\\\\\4. The stalk shall be removed close to the fruit \\\\\\ but not pulled out.
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus diseases, insect spray, etc.
SCHEDULE 3 SCHEDULE III
\\\\ (See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the DASHEHRI variety of Indian Mangoes
Grade Designation \ Definition of quality \ \ \ \ \ Special characteristic \ General characteristics \ \ Minimum weight of each \ \ \ fruit* \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Choice \\250 gms. \\1. \Each Mango shall: Special \\150 gms. \\\(a) have reached a stage of maturity Good \\\100 gms. \\\which will permit the subsequent com- \\\\\\\\\plant\delta\left(\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei to the extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fund diseases, insect-pests, hail-storm, spray, etc.
SCHEDULE 4 SCHEDULE IV
\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the RUMANI, NEELAM, PAIRI, RASAPUBI and \\\NADUS. of Indian Mangoes
Designation \ \ \ \Definition of quality \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\1. \Each Mango shall: Special \ \175 gms. \ \ \(a) have reached a stage of maturity Good \ \ \115 gms. \ \ \ \which will permit th subsequent com- \\\\\\\\\\ \\pleason of ripening in the ordinary \ \ \ \ \ \\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A toterance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus dis insect-pests, hail-storm, spray, etc.
SCHEDULE 5 SCHEDULE V
\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the BANGALORA-TOTAPURI and COLLECTOR varieties \Indian Mangoes
Grade Designation Definition of quality \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
1\2\\3
Choice 410 gms. \\\\1. Each Mango shall: Special 350 gms. \\\(a) have reached a stage of maturity Good \\\290 gms. \\\\\hipermit the subsequent \\\\\\\\\\completion of ripening in the ordinary \\\\\\\\completion of transport and marketing; \\\have developed the characteristic colour \\\\\\\\of the variety, and the shape normal to \\\\\\\\the variety; \\\\have good keeping quality and be firm, \\\\\\\\reasonably developed and in good \\\\\\\\\\condition; \\\\\\\fraction from mal-formation and the \\\\\\\\\\defects due to diseases, insects or injury \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus dis insect-pests, hail-storm, spray, etc.
SCHEDULE 6 SCHEDULE VI
\ \ \ (See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the SAFEDA variety of Indian Mangoes Grade
\ \ \Definition of quality \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
3_\\165 gms. \\\1. \Each Mango shall: Special \\\\130 gms. \\\(a) have reached a stage of maturity Good \\\\95 gms. \\\\wh the subsequent \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus dis pests, hail-storm, spray, etc. SCHEDULE 7 SCHEDULE VII
\ \ \(See rule 2, rule 3 and rule 4) Grade disignation and definition of quality of the FAZLI variety of Indian Mangoes
Grade Designation \ \ \ \Definition of quality \ \ \ \
\1\\\2\\\\\3
Choice \ \ \935 gms. \ \1. \Each Mango shall: Special \ \ \670 gms. \ \ \ \(a) have reached a stage of maturity Good \ \ \ \465 gm permit the subsequent Standard \ \ \290 gms. \ \ \ \completion of ripening in the ordinary \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of weight. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus diseases, insect-pests
SCHEDULE 8 SCHEDULE VIII
\\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the BANGANAPALLI, KHAJRI and MIGGO varieties of \Mangoes
Grade Designation \ \ \ \ \ \Definition of quality \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
2 \ \ \ \ \ \ 3
$\label{thm:condition} $$ \all: Special \ \ 350 gms. \ \ \ \ \ astage of maturity Good \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus diseases, ins storm, spray, etc.
SCHEDULE 9 SCHEDULE IX
\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the GOPALBHOG, AGRA MOHAN BHOG, MURSHAPET, \BHOG, KUSPAHARI and BHARATI varieties of Indian Mangoes
Grade Designation \ \ \ \Definition of quality \ \ \ \ \ \ \Special \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\1\\\2\\\\3
Choice \\\\350 gms. \\\1. \Each Mango shall: Special \\\\290 gms. \\\(a)\\ have reaached a stage of maturity Good \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus diseases, storm, spray, etc.
SCHEDULE 10 SCHEDULE X
\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the SWARANREKHA and MUNDAPPA varieties of Indian \Mangoes
Grade Designation \ \ \ \ \Definition of quality \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\\3\\290 gms. \\\1. \Each Mango shall: Special \\\\235 gms. \\\\(a) have reached a stage of maturity Good \\\\\\\\ the subsequent \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

*A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of weig 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus diseases, instorm, spray, etc.
SCHEDULE 11 SCHEDULE XI
\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the MALDA variety of Indian Mangoes
Grade Designation \ \ \ Definition of quality \ \ \ \ \ \ \ Special characteristics \ \ \ Minimum weight of each \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
\1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Choice \\\\350 gms.\\\1. Each Mango shall: Special \\\\290 gms.\\\\(a) have reached a stage of maturity Good 235 gms.\\\\ will permit the subsequent \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus dis insect-pests, hail-storm, spray, etc.
SCHEDULE 12 SCHEDULE XII
\\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the MALGOA variety of Indian Mangoes Grade
\\\Definition of quality\\\\\\Special characteristics \Gcharacteristics \\\\Minimum weight of each \\\\fruit*
3 \\1\\'
gms. \\\1. \Each Mango shall: Special \\\\390 gms. \\\\(a) have reached a stage of maturity Good \\\\\330 gms. \\\\\which v subsequent \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. = Blemishes include marks due to fungus dis posts, hail-storm, spray, etc.
SCHEDULE 13 SCHEDULE XIII
\ \ \(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the LANGRA variety of Indian mangoes Grade Des
\\Definition of quality \\\\\ \\General characteristics \\General characteristics \\General characteristics \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
\\\3\\\250 gms. \\1. Each Mango shall: \Special \\\200 gms. \\\(a) have reached a stage of maturity \\\\\\\\h\\h\\h\\h\\h\\h\\h\\h\\h\\h\\h
* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruits which are below the specified limit of wei extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. \$ Blemishes include marks due to fungus disinsect-pests, hail-storm, spray, etc.
SCHEDULE 14 SCHEDULE XIV
\\\\(See rule 2, rule 3 and rule 4) Grade designation and definition of quality of the KANCHAN (BATHUA) variety of Indian mangoes
Designation \ \ \ \ Definition of quality \ \ \
2 \ \ \ \ \ 3
\\290 gms. \\\1. \Each Mango shall: Special \\\\235 gms. \\\\(a) have reached a stage of maturity Good \\\\\\\\ permit the subsequent \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

* A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of fruit which are below the specified limit of weig extent of 30 gms. A tolerance of 5 per cent shall be allowed for accidental errors in grading. \$ Blemishes include marks due to fungus disinsect-pests, hail-storm, spray, etc.